

Godrej & Khimji

Locker Cabinet

Modern ventilation concepts and a variety of locking systems define the locker cabinets manufactured at Godrej and Khimji.

These locker cabinets provide a functional solution for securing personal storage in offices, factories, schools, universities, health and fitness clubs and other commercial premises.

The range incorporates a combination of modules with a choice of single, two, three, four, five and six door compartments.


The locker cabinet has been tested for strength, durability, stability and function to meet Australian / New Zealand Standards AS/NZS 4790 and British Standards BS 4680.



Certified in 2008
in UK



Certified in 2008
in AUSTRALIA





Locker Cabinet



LC 1 / LC 1 SPL

One compartment locker cabinet with one shelf and one hanging rod

LC 1	1,830 (72.0")	380 (15.0")	457 (18.0")
LC 1 SPL	1,830 (72.0")	380 (15.0")	500 (19.7")
	1,830 (72.0")	305 (12.0")	305 (12.0")
	1,830 (72.0")	305 (12.0")	457 (18.0")
	1,830 (72.0")	305 (12.0")	500 (19.7")
	1,830 (72.0")	457 (18.0")	457 (18.0")
	1,830 (72.0")	457 (18.0")	600 (23.6")
	1,830 (72.0")	400 (15.7")	500 (19.7")
	1,830 (72.0")	500 (19.7")	500 (19.7")
	1,830 (72.0")	760 (29.9")	457 (18.0")
	1,800 (70.9")	300 (11.8")	500 (19.7")
	1,800 (70.9")	400 (15.7")	500 (19.7")
	1,800 (70.9")	450 (17.7")	500 (19.7")
	1,800 (70.9")	500 (19.7")	600 (23.6")
	1,900 (74.8")	457 (18.0")	457 (18.0")

LC 1 ES / LC 1 ES SPL

One compartment locker cabinet with two fixed shelves and one hanging rod

Model	Height	Width	Depth
LC 1 ES	1,830 (72.0")	380 (15.0")	457 (18.0")
LC 1 ES SPL	875 (34.4")	400 (15.7")	400 (15.7")
	1,830 (72.0")	305 (12.0")	305 (12.0")
	1,830 (72.0")	305 (12.0")	457 (18.0")
	1,830 (72.0")	457 (18.0")	457 (18.0")
	2,000 (78.7")	380 (15.0")	457 (18.0")
	2,000 (78.7")	600 (23.6")	600 (23.5")

LC 2 / LC 2 SPL

Two compartment locker cabinet with one hanging rod in each compartment

Model	Height	Width	Depth
LC 2	1,830 (72.0")	380 (15.0")	457 (18.0")
LC 2 SPL	914 (36.0")	305 (12.0")	380 (15.0")
	1,200 (47.2")	340 (13.4")	457 (18.0")
	1,830 (72.0")	305 (12.0")	305 (12.0")
	1,830 (72.0")	305 (12.0")	457 (18.0")
	1,830 (72.0")	380 (15.0")	500 (19.7")
	1,830 (72.0")	457 (18.0")	457 (18.0")
	1,830 (72.0")	500 (19.7")	900 (35.4")
	1,800 (70.9")	400 (15.7")	450 (17.7")

LC 2 ES / LC 2 ES SPL

Two compartment locker cabinet with one fixed shelf and one hanging rod in each compartment


LC 2 ES	1,830 (72.0")	380 (15.0")	457 (18.0")
LC 2 ES SPL	1,500 (59.1")	380 (15.0")	457 (18.0")
	1,830 (72.0")	305 (12.0")	457 (18.0")
	1,830 (72.0")	457 (18.0")	457 (18.0")
	2,000 (78.7")	600 (23.6")	600 (23.6")

Measurements are in millimeters (approx. inches)

Locker Cabinet



LC 1



LC 1



LC 1 ES



LC 2



LC 2 ES

Locker Cabinet

'Z' LC 2

'Z' type two door locker cabinet

Model	Height	Width	Depth
'Z' LC 2	1,830 (72.0")	380 (15.0")	457 (18.0")
	1,830 (72.0")	380 (15.0")	500 (19.7")

LC 3 / LC 3 SPL

Three compartment locker cabinet

LC 3	1,830 (72.0")	380 (15.0")	457 (18.0")
LC 3 SPL	1,200 (47.2")	408 (16.0")	460 (18.1")
	1,398 (55.0")	380 (15.0")	457 (18.0")
	1,830 (72.0")	305 (12.0")	305 (12.0")
	1,830 (72.0")	305 (12.0")	457 (18.0")
	1,830 (72.0")	305 (12.0")	500 (19.7")
	1,830 (72.0")	457 (18.0")	457 (18.0")
	2,000 (78.7")	500 (19.7")	600 (23.6")
	2,090 (82.3")	500 (19.7")	600 (23.6")

LC 4 / LC 4 SPL

Four compartment locker cabinet

LC 4	1,830 (72.0")	380 (15.0")	457 (18.0")
LC 4 SPL	1,255 (49.4")	380 (15.0")	457 (18.0")
	1,830 (72.0")	305 (12.0")	305 (12.0")
	1,830 (72.0")	305 (12.0")	457 (18.0")
	1,830 (72.0")	457 (18.0")	457 (18.0")
	1,800 (70.9")	300 (11.8")	500 (19.7")
	1,800 (70.9")	400 (15.7")	500 (19.7")
	1,800 (70.9")	450 (17.7")	500 (19.7")



LC 5 / LC 5 SPL

Five compartment locker cabinet

Model	Height	Width	Depth
LC 5	1,830 (72.0")	380 (15.0")	457 (18.0")
LC 5 SPL	1,830 (72.0")	305 (12.0")	305 (12.0")
	1,830 (72.0")	305 (12.0")	457 (18.0")
	1,830 (72.0")	305 (12.0")	500 (19.7")
	1,830 (72.0")	457 (18.0")	457 (18.0")

LC 6 / LC 6 SPL

Six compartment locker cabinet

LC 6	1,830 (72.0")	380 (15.0")	457 (18.0")
LC 6 SPL	1,830 (72.0")	305 (12.0")	305 (12.0")
	1,830 (72.0")	305 (12.0")	457 (18.0")
	1,830 (72.0")	457 (18.0")	457 (18.0")

Measurements are in millimeters (approx. inches)

Locker Cabinet



Z LC 2



LC 3



LC 4



LC 5



LC 6

Locker Cabinet



LC 1 SPT PD

One compartment locker cabinet with one shelf and one hanging rod and with perforations [4.5 (0.18") diameter or 16.0 (0.63") square] along the entire door.

Model	Height	Width	Depth
LC 1 SPT PD	1,830 (72.0")	380 (15.0")	457 (18.0")

LC 1 FS 1 HP3 HHR 1

One compartment locker cabinet with 1 fixed shelf at the top, centre partition below the fixed shelf and with one hanging rod on right side and 3 half shelves on the left side and with perforated holes at the top and bottom.

LC 1 FS 1 HP3 HHR 1	1,800 (70.9")	450 (17.7")	500 (19.7")
------------------------	---------------	-------------	-------------

LC 1 FS 1 HP HHR2

One compartment locker cabinet with 1 fixed shelf at the top, centre partition below the fixed shelf and with one hanging rod on right side and one hanging rod one left side and with perforated holes at the top and bottom.

LC 1 FS 1 HP HHR 2	1,800 (70.9")	400 (15.7")	500 (19.7")
-----------------------	---------------	-------------	-------------

LC 1 FS 2 HP 3 HHR

One compartment locker cabinet with centre partition between the 2 fixed shelves and with one hanging rod on right side and 3 half fixed shelves on the left side.

LC 1 FS 2 HP 3 HHR	1,830 (72.0")	457 (18.0")	457 (18.0")
-----------------------	---------------	-------------	-------------

LC 1 F8 SPL

One compartment locker cabinet with full centre partition and with eight fixed half shelves and with louvers and card holder.

LC 1 F8 SPL	1,830 (72.0")	457 (18.0")	457 (18.0")
-------------	---------------	-------------	-------------

LC 1 FS 1 HP 3 HHR

One compartment locker cabinet with 1 fixed shelf at the top, centre partition below the fixed shelf and with one hanging rod on right side and 3 half shelves on the left side and with perforated holes at the top and bottom and with a PVC label holder.

Model	Height	Width	Depth
LC 1 FS 1 HP 3 HHR	1,830 (72.0")	600 (23.6")	457 (18.0")

LC 1 ES 4

One compartment locker cabinet with 4 adjustable shelves and with three way locking mechanism, but without louvers and card holder.

LC 1 ES 4	1,830 (72.0")	600 (23.6")	457 (18.0")
-----------	---------------	-------------	-------------

LC 1 ES x 2 MRF WM 2 SPL

Two single compartment locker cabinet with four fixed shelves, two hanging rods, mirror frame [250 (9.8") x 200 (7.9")] with mirror on the outside of each door, three way locking mechanism, PVC label holder on each door and doors opening clock wise and anti clock wise.

LC 1 ES x 2 MRF WM 2 SPL	2,100 (82.6")	457+457 (18.0+18.0")	480 (18.9")
-----------------------------	---------------	-------------------------	-------------

LC 4 ES 4

Four compartment locker cabinet with 4 adjustable shelves and with perforated doors and with PVC card holder.

LC 4 ES 4	2,000 (78.7")	500 (19.7")	500 (19.7")
-----------	---------------	-------------	-------------

Measurements are in millimeters (approx. inches)

Locker Cabinet



LC 1 FS 2 HP 3 HHR



LC 1 ES x 2 MRF WM 2 SPL



LC 1 ES 4



LC 1X3 - JOINED TOGETHER WITH RIVETS

Locker Cabinet Cluster Formation



CT LC 1 x 2

2 units single compartment locker cabinets joined together with common top, common side, common back and common bottom.

Model	Height	Width	Depth
CT LC 1 x 2	1,830 (72.0")	610 (24.0")	457 (18.0")

CT LC 1 SPL x 2

2 units single compartment locker cabinets joined together with common top, common side, common back and common bottom.

CT LC 1 SPL x 2	1,830 (72.0")	610 (24.0")	500 (19.7")
-----------------	---------------	-------------	-------------

CT LC 2 x 2

2 units two compartment locker cabinets joined together with common top, common side, common back and common bottom.

CT LC 2 x 2	1,830 (72.0")	610 (24.0")	457 (18.0")
-------------	---------------	-------------	-------------

CT LC 2 SPL x 2

2 units two compartment locker cabinets joined together with common top, common side, common back and common bottom.

CT LC 2 SPL x 2	1,830 (72.0")	610 (24.0")	500 (19.7")
-----------------	---------------	-------------	-------------

LC 4 x 2

2 units four compartment locker cabinets joined together with rivets.

Model	Height	Width	Depth
LC 4 x 2	1,830 (72.0")	610 (24.0")	457 (18.0")


LC 6 x 2

2 units six compartment locker cabinets joined together with rivets.

LC 6 x 2	1,830 (72.0")	610 (24.0")	457 (18.0")
----------	---------------	-------------	-------------

Measurements are in millimeters (approx. inches)


Locker Cabinet



LC 2
(WITH DIGITAL LOCK)



LC 4
(WITH DIGITAL LOCK)



CT LC 2 SL X2



CT LC 2X2
(WITH NUMERIC LOCK)

Locker Cabinet



LC 4 / LC 4 SPL (WITH CAM / LATCH LOCK)



LC 1 FS1 HP3 HHR 1 (WITH CAM / LATCH LOCK)

Locker Cabinet



LC 1 FS 1 HP HHR 2 (WITH CAM / LATCH LOCK)



LC 1 / LC 1 SPL (WITH CAM / LATCH LOCK)

KEY FEATURES



- Limited Lifetime warranty as per clause.
- Standard locker cabinets are also available in widths of 305 mm (12.0") and 457 mm (18.0") and depths of 305 mm (12.0") and 457 mm (18.0").
- Door is provided with ventilation louvers / cluster holes, a label holder and a cam lock.
- Doors are fitted with heavy duty invisible hinges for security and prevention of tampering from the outside. Internal hinges also enhance the appearance of the locker cabinet.
- Doors are reinforced internally for extra strength.
- Doors are fitted with PVC bangers for quiet operation.
- Sloping top can be provided for standard dimensions of the locker cabinet (380 (15.0") w x 457 (18.0") d mm).
- Formed steel legs with height of 100 mm (3.9") can also be provided.
- Locker cabinets can function independently as stand alone units or as a multi unit configuration.
- Core removable locks can be provided on request.
- Master keys can be supplied for locks.
- Locks have 2,000 / 3,000 combinations (utilizing two keyways in each series).
- Plastic key caps are 99% anti bacterial.
- Ganging provisions and hole plug can be incorporated on side panels for joining purpose with screws and nuts or rivets
- Ganging provisions can be incorporated on side panels for joining purpose.
- Locker cabinets are packed in completely knocked down condition.
- Cabinets can also be 100% factory built and shipped fully assembled.
- Thicker gauges of steel can be offered.
- Fastener free assembly ensures quick assembly without the use of screws or rivets.
- Thicker gauges of steel can be offered.

LOCK OPTIONS



Cam Lock



Latch Lock



Recessed Handle
cum Cam Lock




Numeric Lock



Rivet

OPTIONAL ACCESSORIES



PVC Label Holder



Formed Label Holder



Sloping Top



Mirror



Perforated Door



Formed Steel Legs
100 mm height
150 mm height



Hanger Rod



Screw and Nut



Hole Plug



Coat Hook



Adjustable Leveller